

## 2020 FIT SPECIFICATIONS & FEATURES

<b>ENGINEERING</b>	<b>LX</b>	<b>Sport</b>	<b>EX</b>	<b>EX-L</b>
Engine Type	In-Line 4-Cylinder	In-Line 4-Cylinder	In-Line 4-Cylinder	In-Line 4-Cylinder
Displacement	1498 cc	1498 cc	1498 cc	1498 cc
Horsepower (SAE net) <sup>1</sup>	130 @ 6600 rpm (6MT) 128 @ 6600 rpm (CVT)	130 @ 6600 rpm (6MT) 128 @ 6600 rpm (CVT)	128 @ 6600 rpm	128 @ 6600 rpm
Torque (SAE net) <sup>2</sup>	114 lb-ft @ 4600 rpm (6MT) 113 lb-ft @ 4600 rpm (CVT)	114 lb-ft @ 4600 rpm (6MT) 113 lb-ft @ 4600 rpm (CVT)	113 lb-ft @ 4600 rpm	113 lb-ft @ 4600 rpm
Redline	6800 rpm	6800 rpm	6800 rpm	6800 rpm
Bore and Stroke	73.0 mm x 89.5 mm	73.0 mm x 89.5 mm	73.0 mm x 89.5 mm	73.0 mm x 89.5 mm
Compression Ratio	11.5:1	11.5:1	11.5:1	11.5:1
Valve Train	16-Valve DOHC i-VTEC®	16-Valve DOHC i-VTEC®	16-Valve DOHC i-VTEC®	16-Valve DOHC i-VTEC®
Direct Fuel Injection	●	●	●	●
Eco Assist™ System	●	●	●	●
ECON Button	CVT Trim	CVT Trim	●	●
Eco Coaching	●	●	●	●
Hill Start Assist	●	●	●	●
CARB Emissions Rating <sup>3</sup>	LEV3-ULEV125 (6MT) LEV3-SULEV30 (CVT)	LEV3-ULEV125 (6MT) LEV3-SULEV30 (CVT)	LEV3-SULEV30	LEV3-SULEV30
Direct Ignition System with Immobilizer	●	●	●	●

<b>TRANSMISSIONS</b>	<b>LX</b>	<b>Sport</b>	<b>EX</b>	<b>EX-L</b>
6-Speed Manual Transmission (6MT)	●	●		
1st	3.462	3.462		
2nd	1.870	1.870		
3rd	1.235	1.235		
4th	0.949	0.949		
5th	0.810	0.810		
6th	0.727	0.727		
Reverse	3.307	3.307		
Final Drive	4.62	4.62		
Continuously Variable Transmission (CVT) with Sport Mode	Available	Available - Includes Dual-Mode Paddle Shifters	Includes Dual-Mode Paddle Shifters	Includes Dual-Mode Paddle Shifters
Ratio Range	2.526~0.408	2.526~0.408	2.526~0.408	2.526~0.408
Reverse	2.706~1.382	2.706~1.382	2.706~1.382	2.706~1.382
Final Drive	5.44	5.44	5.44	5.44

<b>BODY/SUSPENSION/CHASSIS</b>	<b>LX</b>	<b>Sport</b>	<b>EX</b>	<b>EX-L</b>
MacPherson Strut Front Suspension	●	●	●	●
Torsion-Beam Rear Suspension	●	●	●	●
Electric Power-Assisted Rack-and-Pinion Steering (EPS)	●	●	●	●
Stabilizer Bar (front)	25.4 mm	25.4 mm	25.4 mm	25.4 mm

Steering Wheel Turns, Lock-to-Lock	2.51	2.51	2.51	2.51
Steering Ratio	13.06	13.06	13.06	13.06
Turning Diameter, Curb-to-Curb	35.07 ft	35.07 ft	35.07 ft	35.07 ft
Power-Assisted Ventilated Front Disc/Rear Drum Brakes (front/rear)	10.3 in / 7.9 in	10.3 in / 7.9 in	10.3 in / 7.9 in	10.3 in / 7.9 in
Wheels	15 in w/Full Covers	16 in Black Alloys	16 in Machine-Finished Alloys with Black Inserts	16 in Machine-Finished Alloys with Black Inserts
All-Season Tires	185 / 60 R15 84T	185 / 55 R16 83H	185 / 55 R16 83H	185 / 55 R16 83H
Compact Spare Tire	T135 / 80 D15 99M	T135 / 80 D15 99M	T135 / 80 D15 99M	T135 / 80 D15 99M

<b>EXTERIOR MEASUREMENTS</b>	<b>LX</b>	<b>Sport</b>	<b>EX</b>	<b>EX-L</b>
Wheelbase	99.6 in	99.6 in	99.6 in	99.6 in
Length	161.4 in	161.8 in	161.4 in	161.4 in
Height	60.0 in	60.0 in	60.0 in	60.0 in
Width	67.0 in	67.0 in	67.0 in	67.0 in
Track (front/rear)	58.3 in / 58.0 in	58.1 in / 57.7 in	58.3 in / 58.0 in	58.3 in / 58.0 in
Curb Weight (6MT/CVT/CVT w/Honda Sensing)	2522 lbs / 2568 lbs / 2577 lbs	2553 lbs / 2597 lbs / 2604 lbs	NA / NA / 2644 lbs	NA / NA / 2648 lbs
Weight Distribution (front/rear, 6MT)	60.9% / 39.1%	61.6% / 38.4%	NA	NA
Weight Distribution (front/rear, CVT)	61.7% / 38.3%	62.3% / 37.7%	NA	NA
Weight Distribution (front/rear, CVT w/Honda Sensing)	61.8% / 38.2%	62.4% / 37.6%	61.4% / 38.6%	62.1% / 37.9%

<b>INTERIOR MEASUREMENTS</b>	<b>LX</b>	<b>Sport</b>	<b>EX</b>	<b>EX-L</b>
Headroom (front/rear)	39.5 in / 37.5 in	39.5 in / 37.5 in	38.0 in / 37.6 in	38.0 in / 37.6 in
Legroom (front/rear)	41.4 in / 39.3 in	41.4 in / 39.3 in	41.4 in / 39.3 in	41.4 in / 39.3 in
Shoulder Room (front/rear)	54.8 in / 52.6 in	54.8 in / 52.6 in	54.8 in / 52.6 in	54.8 in / 52.6 in
Hiproom (front/rear)	51.5 in / 45.1 in	51.5 in / 45.1 in	51.5 in / 45.1 in	51.5 in / 45.1 in
Cargo Volume (seat up/down)	16.6 cu ft / 52.7 cu ft <sup>4</sup>	16.6 cu ft / 52.7 cu ft <sup>4</sup>	16.6 cu ft / 52.7 cu ft <sup>4</sup>	16.6 cu ft / 52.7 cu ft <sup>4</sup>
Passenger Volume	95.7 cu ft	95.7 cu ft	93.8 cu ft	93.8 cu ft

<b>EPA MILEAGE RATINGS<sup>5</sup>/FUEL</b>	<b>LX</b>	<b>Sport</b>	<b>EX</b>	<b>EX-L</b>
6-Speed Manual Transmission (6MT) (City/Highway/Combined)	29 / 36 / 31	29 / 36 / 31		
Continuously Variable Transmission (CVT) (City/Highway/Combined)	33 / 40 / 36	31 / 36 / 33	31 / 36 / 33	31 / 36 / 33
Fuel Tank Capacity	10.6 gal	10.6 gal	10.6 gal	10.6 gal
Required Fuel	Regular Unleaded	Regular Unleaded	Regular Unleaded	Regular Unleaded

<b>ACTIVE SAFETY</b>	<b>LX</b>	<b>Sport</b>	<b>EX</b>	<b>EX-L</b>
Vehicle Stability Assist™ (VSA®) with Traction Control <sup>6</sup>	●	●	●	●
Anti-Lock Braking System (ABS)	●	●	●	●
Electronic Brake Distribution (EBD)	●	●	●	●
Brake Assist	●	●	●	●
Tire Pressure Monitoring System (TPMS) <sup>7</sup>	●	●	●	●

Daytime Running Lights (DRL)	●	●	●	●
Multi-Angle Rearview Camera <sup>8</sup>	with Guidelines	with Dynamic Guidelines	with Dynamic Guidelines	with Dynamic Guidelines
Forward Collision Warning (FCW) <sup>9</sup> (Honda Sensing <sup>®</sup> feature)			●	●
Lane Departure Warning (LDW) <sup>10</sup> (Honda Sensing <sup>®</sup> feature)			●	●
Collision Mitigation Braking System™ (CMBS™) <sup>11</sup> (Honda Sensing <sup>®</sup> feature)			●	●
Road Departure Mitigation System (RDM) <sup>12</sup> (Honda Sensing <sup>®</sup> feature)			●	●

<b>PASSIVE SAFETY</b>	<b>LX</b>	<b>Sport</b>	<b>EX</b>	<b>EX-L</b>
Advanced Compatibility Engineering™ (ACE™) Body Structure	●	●	●	●
Advanced Front Airbags	●	●	●	●
SmartVent <sup>®</sup> Front Side Airbags	●	●	●	●
Side Curtain Airbags with Rollover Sensor	●	●	●	●
3-Point Seat Belts at all Seating Positions	●	●	●	●
Front 3-Point Seat Belts with Automatic Tensioning System	●	●	●	●
Lower Anchors and Tethers for CHildren (LATCH): Lower Anchors (2nd-Row Outboard), Tether Anchors (2nd-Row All)	●	●	●	●
Driver's and Front Passenger's Seat-Belt Reminder	●	●	●	●
Child-Proof Rear Door Locks	●	●	●	●

<b>DRIVER-ASSISTIVE TECHNOLOGY</b>	<b>LX</b>	<b>Sport</b>	<b>EX</b>	<b>EX-L</b>
Lane Keeping Assist System (LKAS) <sup>13</sup> (Honda Sensing <sup>®</sup> feature)			●	●
Adaptive Cruise Control (ACC) <sup>14</sup> (Honda Sensing <sup>®</sup> feature)			●	●
Auto High-Beam Headlights			●	●
Honda LaneWatch™ <sup>15</sup>			●	●

<b>EXTERIOR FEATURES</b>	<b>LX</b>	<b>Sport</b>	<b>EX</b>	<b>EX-L</b>
Two-Speed Intermittent Windshield Wipers	●	●		
Body-Colored, Power Side Mirrors	●	●	●	
Roof-Mounted Antenna	●	●	●	●
Security System with Remote Entry	●	●	●	●
Multi-Reflector Halogen Headlights with Auto-On/Off	●	●	●	●
Body-Colored Rear Roofline Spoiler	●	●	●	●
LED Brake Lights	●	●	●	●
Intermittent Rear Window Wiper/Washer	●	●	●	●
Body-Colored Door Handles	●	●	●	●
Fog Lights		●	●	●
Front Underbody Spoiler / Rear Diffuser with Orange Accents		●		

Side Underbody Spoilers		●		
Chrome Exhaust Finisher		●		
One-Touch Power Moonroof with Tilt Feature			●	●
Smart Entry with Walk Away Auto Lock®			●	●
Variable Intermittent Windshield Wipers			●	●
Heated, Body-Colored Power Side Mirrors with Integrated Turn Indicators				●

SiriusXM-equipped trims (EX and above) get the larger roof antenna base

<b>COMFORT &amp; CONVENIENCE</b>	<b>LX</b>	<b>Sport</b>	<b>EX</b>	<b>EX-L</b>
Air Conditioning with Air-Filtration System	●	●	●	●
Power Windows with Auto-Up/Down Driver's Window	●	●	●	●
Power Door Locks/Programmable Auto-Locking Doors	●	●	●	●
Illuminated Driver's Window and Door Lock Controls	●	●	●	●
Cruise Control	●	●	●	●
One-Touch Turn Indicators	●	●	●	●
Tilt and Telescopic Steering Column	●	●	●	●
Center Console with Armrest and Storage Compartment	●	●	●	●
Beverage Holders	●	●	●	●
Driver's and Front Passenger's Vanity Mirrors	●	●	●	●
Map Lights	●	●	●	●
12-Volt Power Outlets (front/center console)	●	●	●	●
Passenger-Side Seatback Pocket	●	●	●	●
Remote Fuel Filler Door Release	●	●	●	●
Rear-Window Defroster	●	●	●	●
Cargo Area Light	●	●	●	●
Door-Pocket Storage Bins (front/rear)	●	●	●	●
Illuminated Steering Wheel-Mounted Controls	●	●	●	●
Leather-Wrapped Steering Wheel and Shift Knob		●		●
Push Button Start			●	●
Sliding Sunvisors			●	●
Cargo Area Tie-Down Anchors			●	●
Floor Mats			●	●

<b>SEATING</b>	<b>LX</b>	<b>Sport</b>	<b>EX</b>	<b>EX-L</b>
Driver's Seat with Manual Height Adjustment	●	●	●	●
Adjustable Front Seat-Belt Anchors	●	●	●	●
Adjustable Head Restraints	●	●	●	●
60/40 Split 2nd-Row Magic Seat®	●	●	●	●
Seating Capacity	5	5	5	5
Leather-Trimmed Seats				●
Heated Front Seats				●

<b>AUDIO &amp; CONNECTIVITY</b>	<b>LX</b>	<b>Sport</b>	<b>EX</b>	<b>EX-L</b>
160-Watt Audio System with 4 Speakers	●			
5-Inch Color LCD Screen	●			
Bluetooth® HandsFreeLink® <sup>16</sup>	●	●	●	●
Bluetooth® Streaming Audio <sup>16</sup>	●	●	●	●
Radio Data System (RDS)	●	●	●	●
Speed-Sensitive Volume Compensation (SVC)	●	●	●	●
1.0-Amp USB Audio Interface <sup>17</sup>	Front Console (1 Port)	Center Console (1 Port)	Center Console (1 Port)	Center Console (1 Port)
1.5-Amp USB Smartphone/Audio Interface <sup>17</sup>		Front Console (1 Port)	Front Console (1 Port)	Front Console (1 Port)
180-Watt Audio System with 6 Speakers		●	●	●
7-Inch Display Audio with High-Resolution WVGA (800x480) Electrostatic Touch-Screen and Customizable Feature Settings		●	●	●
Apple CarPlay® <sup>18</sup> Integration		●	●	●
Android Auto™ <sup>19</sup> Integration		●	●	●
HondaLink® <sup>20</sup>		●	●	●
Pandora® <sup>21</sup> Compatibility		●	●	●
SMS Text Message Function <sup>22</sup>		●	●	●
SiriusXM® Radio <sup>23</sup>			●	●

<b>INFORMATION DISPLAY / INFORMATION DISPLAY</b>	<b>MULTI- LX</b>	<b>Sport</b>	<b>EX</b>	<b>EX-L</b>
Average Fuel Economy Indicators (A&B)	●	●	●	●
Clock	●	●	●	●
Engine Oil Life Indicator	●	●	●	●
Fuel Level Indicator	●	●	●	●
Instant Fuel Economy Indicator	●	●	●	●
Exterior Temperature Indicator	●	●	●	●
Miles-to-Empty Indicator	●	●	●	●
Odometer and Trip Meters (A&B)	●	●	●	●
Average Speed Indicators		●	●	●
Customizable Feature Settings		●	●	●
Elapsed Time Indicator		●	●	●

<b>INSTRUMENTATION</b>	<b>LX</b>	<b>Sport</b>	<b>EX</b>	<b>EX-L</b>
12-Volt Battery-Charging System Indicator	●	●	●	●
ABS Indicator	●	●	●	●
Airbag System Indicator	●	●	●	●
Brake System Indicator	●	●	●	●
Coolant Temperature Indicator	●	●	●	●
Cruise Control Indicators	●	●	●	●
Door- and Hatch-Open Indicator	●	●	●	●

Electric Power Steering (EPS) Indicator	●	●	●	●
Headlights-On Indicator	●	●	●	●
High-Beam Indicator	●	●	●	●
Immobilizer System Indicator	●	●	●	●
Low-Tire Pressure/TPMS Indicator	●	●	●	●
Low-Fuel Indicator	●	●	●	●
Low-Oil Pressure Indicator	●	●	●	●
Maintenance Minder™ Indicator	●	●	●	●
Malfunction Indicator	●	●	●	●
Security System/Alarm Indicator	●	●	●	●
Seat-Belt Reminder Indicator	●	●	●	●
Speedometer	●	●	●	●
Tachometer	●	●	●	●
Turn Signal/Hazard Indicators	●	●	●	●
VSA System and VSA-Off Indicators	●	●	●	●
Adaptive Cruise Control (ACC) On and System Indicators			●	●
Collision Mitigation Braking System (CMBS) Off and System Indicators			●	●
Lane Keeping Assist System (LKAS) On and System Indicators			●	●
Road Departure Mitigation (RDM) Indicator			●	●
ECON Button	CVT Trim	CVT Trim	●	●
ECON Mode Indicator	CVT Trim	CVT Trim	●	●
Shift Lever Position Indicator		CVT Trim	●	●
Sequential Mode Gear Selection Indicator		CVT Trim	●	●
Shift Up/Down Indicator		CVT Trim	●	●
Fog Lights Indicator		●	●	●
System Message Indicator		●	●	●
Smart Entry System Indicator			●	●

[1] 130 @ 6600 rpm (6MT) (SAE net), 128 @ 6600 rpm (CVT) (SAE net)

2] 114 lb-ft @ 4600 rpm (6MT) (SAE net), 113 lb-ft @ 4600 rpm (CVT) (SAE net)

[3] CVT models are LEV3-SULEV30-rated in California and states that have adopted California vehicle emission regulations. CVT models in non-CARB states and 6MT models in all 50 states are LEV3-ULEV125-rated.

[4] Based on SAE J1100 cargo volume measurement standard plus, where applicable, floor space between seating rows and seats in their forward-most and upright position.

[5] 29 city/36 highway/31 combined mpg rating for 6MT trims. 33 city/40 highway/36 combined mpg rating for LX CVT trim. 31 city/36 highway/33 combined mpg rating for Sport, EX & EX-L CVT trims. Based on 2020 EPA mileage ratings. Use for comparison purposes only. Your mileage will vary depending on how you drive and maintain your vehicle, driving conditions and other factors.

[6] VSA is not a substitute for safe driving. It cannot correct the vehicle's course in every situation or compensate for reckless driving. Control of the vehicle always remains with the driver.

[7] For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not rely solely on the monitor system. Please see your Honda dealer for details.

[8] Always visually confirm that it is safe to drive before backing up; the rearview camera display does not provide complete information about all conditions and objects at the rear of your vehicle.

[9] FCW cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. FCW does not include a braking function. Driver remains responsible for safely operating vehicle and avoiding collisions.

[10] LDW only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.

[11] CMBS cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. System designed to mitigate crash forces. Driver remains responsible for safely operating vehicle and avoiding collisions.

[12] Road Departure Mitigation only alerts drivers when lane drift is detected without a turn signal in use and can apply mild steering torque to assist driver in maintaining proper lane position and/or brake pressure to slow the vehicle's departure from a detected lane. RDM may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.

[13] LKAS only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. LKAS may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.

[14] ACC cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. ACC should not be used in heavy traffic, poor weather or on winding roads. ACC only includes a limited braking function. Driver remains responsible for slowing or stopping the vehicle to avoid a collision.

[15] Display accuracy will vary based on weather, size of object and speed, and the display may not show all relevant traffic. The display is not a substitute for your own direct visual assessment of traffic conditions before changing lanes.

[16] The *Bluetooth*® word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks by Honda Motor Co., Ltd., is under license.

[17] The USB interface is used for playback of MP3, WMA or AAC music files from digital audio players and other USB devices, as well as smartphone data transfer on designated Smartphone/Audio Interface ports. Some USB devices and files may not work. Please see your Honda dealer for details.

[18] Apple CarPlay is a registered trademark of Apple Inc.

[19] Android and Android Auto are trademarks of Google LLC.

[20] Check the HondaLink® website for smartphone compatibility and access to the Display Audio Interface.

[21] Pandora, the Pandora logo, and the Pandora trade dress are trademarks or registered trademarks of Pandora Media, Inc. Used with permission. Compatible with select smartphones. See: [www.pandora.com/everywhere/mobile](http://www.pandora.com/everywhere/mobile). Not all devices compatible with USB connection. Your wireless carrier's rate plans apply.

[22] Compatible with select phones with *Bluetooth*®. Your wireless carrier's rate plans apply. State or local laws may limit use of texting feature. Only use texting feature when conditions allow you to do so safely.

[23] SiriusXM services require a subscription after any trial period. If you decide to continue your SiriusXM service at the end of your trial subscription, the plan you choose will automatically renew and bill at then-current rates until you call SiriusXM at 1-866-635-2349 to cancel. See our Customer Agreement for complete terms at [www.siriusxm.com](http://www.siriusxm.com). Fees and programming subject to change. XM satellite service is available only to those at least 18 years and older in the 48 contiguous United States and D.C. ©2019 SiriusXM Radio Inc. Sirius, XM and all related marks and logos are trademarks of SiriusXM Radio Inc.